

# NICE

Product Catalogue



boyin

Nice



Nice



# Nice



- Die-cast aluminium lamp body can effectively prevent corrosion and rust, make the lamp body fully heat dissipation, improve heat dissipation efficiency.
- Two optical structures: fixed direct/adjustable oblique.
- Equipped with an extremely narrow beam Angle, can be from different angles to accurately illuminate the subject.

Nice


Aesthetics



Marble



Wood



Aqua blue( P 331)



Hermes orange( P 1585)

# Aesthetics

Utilizing classic and pleasing modern aesthetics, in addition to classic black and white, four special color schemes are also introduced - marble, wood, Hermes orange, and aqua blue.


The smooth and tactile matte coating gives the lamp a great texture.



Nice



Wood




Marble

Nice



Aqua blue( P 331)



Hermes orange( P 1585)

# Nice



Colour:



White



Black



Gold



Chrome



Silver


Optional :



Honey comb



Stripe




## T3008A-5W / T3008A-5W-2

Model Code	BG-T3008A-5W	BG-T3008A-5W-2
Power	5W	2x5W
Installation	Surface	Surface
Light Source	CREE	CREE
Size(DxH)	Φ40x60mm	Φ40x60mm
Electrical box	32x38x160mm	32x38x190mm
UGR	<19	<19
CRI	≥80/≥90	≥80/≥90
Beam angle	15°/ 24°/ 38°	15°/ 24°/ 38°
CCT	2700K/3000K/4000K/5000K	2700K/3000K/4000K/5000K
Life time	50000 h	50000 h
IP	IP20	IP20



# Nice



Colour:




White Black Gold Chrome Silver

Optional :




Honey comb Stripe



## T3008A-5W-3/T3008A-5W-4

Model Code	BG-T3008A-5W-3	BG-T3008A-5W-4
Power	3x5W	4x5W
Installation	Surface	Surface
Light Source	CREE	CREE
Size(DxH)	Φ40x60mm	Φ40x60mm
Electrical box	32x38x296mm	32x38x402mm
UGR	<19	<19
CRI	≥80/≥90	≥80/≥90
Beam angle	15°/ 24°/ 38°	15°/ 24°/ 38°
CCT	2700K/3000K/4000K/5000K	2700K/3000K/4000K/5000K
Life time	50000 h	50000 h
IP	IP20	IP20

# Nice



Colour:



White



Black



Gold



Chrome



Silver




Optional :



Honey comb



Stripe



## T3008A-10W / T3008A-10W-2 / T3008A-10W-3

Model Code	BG-T3008A-10W	BG-T3008A-10W-2	BG-T3008A-10W-3
Power	10W	2x10W	3x10W
Installation	Surface	Surface	Surface
Light Source	CREE	CREE	CREE
Size(DxH)	Φ57x83mm	Φ57x83mm	Φ57x83mm
Electrical box	50x58x190mm	50x58x252mm	50x58x402mm
UGR	<19	<19	<19
CRI	≥80/≥90	≥80/≥90	≥80/≥90
Beam angle	15°/ 24°/ 38°	15°/ 24°/ 38°	15°/ 24°/ 38°
CCT	2700K/3000K/4000K/5000K	2700K/3000K/4000K/5000K	2700K/3000K/4000K/5000K
Life time	50000 h	50000 h	50000 h
IP	IP20	IP20	IP20

# Nice




Colour:




White Black Gold Chrome Silver


Optional :




Honey comb Stripe



65X60



130X60




196X60

## T3008SE- 5W-AZ / T3008SE- 5W-2-AZ/ T3008SE- 5W-3-AZ

Model Code	BG-T3008SE- 5W-AZ	BG-T3008SE- 5W-2-AZ	BG-T3008SE- 5W-3-AZ
Power	5W	2X5W	3X5W
Light Source	CREE	CREE	CREE
Cutout	65X60mm	130X60mm	196X60mm
Size(DxH)	68X68X96mm	135X68X96mm	200X68X96mm
UGR	<19	<19	<19
CRI	≥80/≥90	≥80/≥90	≥80/≥90
Beam angle	15°/24°/38°	15°/24°/38°	15°/24°/38°
CCT	2700K/3000K/4000K/5000K	2700K/3000K/4000K/5000K	2700K/3000K/4000K/5000K
Life time	50000 h	5000 h	5000 h
IP	IP20	IP20	IP20

# Nice



Colour:



White



Black



Gold



Chrome



Silver


Optional :




Honey comb




Stripe



Ø40mm




Ø130mm



Ø140mm

## T3008RE- 5W-AZ / T3008RE- 5W-2-AZ / T3008RE- 5W-3-AZ

Model Code	BG-T3008RE- 5W-AZ	BG-T3008RE- 5W-2-AZ	BG-T3008RE- 5W-3-AZ
Power	5W	2X5W	3X5W
Light Source	CREE	CREE	CREE
Cutout	Ø40mm	Ø130mm	Ø140mm
Size(DxH)	Ø45X97mm	Ø138X92mm	Ø146X92mm
UGR	<19	<19	<19
CRI	≥80/≥90	≥80/≥90	≥80/≥90
Beam angle	15°/24°/38°	15°/24°/38°	15°/24°/38°
CCT	2700K/3000K/4000K/5000K	2700K/3000K/4000K/5000K	2700K/3000K/4000K/5000K
Life time	50000 h	50000 h	50000 h
IP	IP20	IP20	IP20



Colour:



White



Black



Gold



Chrome



Silver


Optional :




Honey comb




Stripe



□ 60x60



□ 130x60



□ 196x60

### T3008SE- 10W-AZ / T3008SE- 10W-2-AZ/ T3008SE- 10W-3-AZ

Model Code	BG-T3008SE- 10W-AZ	BG-T3008SE- 10W-2-AZ	BG-T3008SE- 10W-3-AZ
Power	10W	2X10W	3X10W
Light Source	CREE	CREE	CREE
Cutout	60X60mm	130X60mm	196X60mm
Size(DxH)	68X68X110mm	140X68x110mm	202X68x110mm
UGR	<19	<19	<19
CRI	≥80/≥90	≥80/≥90	≥80/≥90
Beam angle	15°/24°/38°	15°/24°/38°	15°/24°/38°
CCT	2700K/3000K/4000K/5000K	2700K/3000K/4000K/5000K	2700K/3000K/4000K/5000K
Life time	50000 h	50000 h	50000 h
IP	IP20	IP20	IP20

# Nice



Colour:



White



Black



Gold



Chrome



Silver


Optional :




Honey comb




Stripe



Ø40mm



Ø130mm




Ø140mm

## T3008RE-10W-AZ / T3008RE-10W-2-AZ / T3008RE-10W-3-AZ

型号	Model Code	BG-T3008RE-10W-AZ	BG-T3008RE-10W-2-AZ	BG-T3008RE-10W-3-AZ
功率	Power	10W	2X10W	3X10W
光源	Light Source	CREE	CREE	CREE
开孔	Cutout	Ø40mm	Ø130mm	Ø140mm
尺寸	Size(DxH)	Ø45X117mm	Ø138X111mm	Ø146X111mm
眩光值	UGR	<19	<19	<19
显色指数	CRI	≥80/≥90	≥80/≥90	≥80/≥90
光束角	Beam angle	15°/24°/38°	15°/24°/38°	15°/24°/38°
色温	CCT	2700K/3000K/4000K/5000K	2700K/3000K/4000K/5000K	2700K/3000K/4000K/5000K
寿命	Life time	50000 h	50000 h	50000 h
防护等级	IP	IP20	IP20	IP20

# Nice




Colour:




White Black Gold Chrome Silver


Optional :




Honey comb Stripe



65X60



130X60



198X60


## T3008ST- 5W -AZ/ T3008ST- 5W-2-AZ/ T3008ST- 5W-3-AZ

型号	Model Code	BG-T3008ST-5W-AZ	BG-T3008ST-5W-2-AZ	BG-T3008ST-5W-3-AZ
功率	Power	5W	2X5W	3X5W
光源	Light Source	CREE	CREE	CREE
开孔	Cutout	65X60mm	130X60mm	198X60mm
尺寸	Size(DxH)	140X60X105mm	132X60X105mm	198X60X105mm

眩光值	UGR	<19	<19	<19
显色指数	CRI	≥80/≥90	≥80/≥90	≥80/≥90
光束角	Beam angle	15°/24°/38°	15°/24°/38°	15°/24°/38°

色温	CCT	2700K/3000K/4000K/5000K	2700K/3000K/4000K/5000K	2700K/3000K/4000K/5000K
寿命	Life time	50000 h	50000 h	50000 h
防护等级	IP	IP20	IP20	IP20

# Nice



Colour:



White



Black



Gold



Chrome



Silver


Optional :




Honey comb




Stripe



Ø52mm



Ø135mm




Ø147mm

## T3008RT- 5W-AZ / T3008RT- 5W-2-AZ / T3008RT- 5W-3-AZ

Model Code	BG-T3008RE-5W-AZ	BG-T3008RT- 5W-2-AZ	BG-T3008RT- 5W-3-AZ
Power	5W	2X5W	3X5W
Light Source	CREE	CREE	CREE
Cutout	Ø52mm	Ø135mm	Ø147mm
Size(DxH)	Ø52X89mm	Ø135X92mm	Ø147X92mm
UGR	<19	<19	<19
CRI	≥80/≥90	≥80/≥90	≥80/≥90
Beam angle	15°/24°/38°	15°/24°/38°	15°/24°/38°
CCT	2700K/3000K/4000K/5000K	2700K/3000K/4000K/5000K	2700K/3000K/4000K/5000K
Life time	50000 h	50000 h	50000 h
IP	IP20	IP20	IP20





Colour:




White Black Gold Chrome Silver

Optional :




Honey comb Stripe



**T3008ST- 10W-AZ / T3008ST- 10W-2-AZ/ T3008ST- 10W-3-AZ**

Model Code	BG-T3008ST- 10W-AZ	BG-T3008ST- 10W-2-AZ	BG-T3008ST- 10W-3-AZ
Power	10W	2X10W	3X10W
Light Source	CREE	CREE	CREE
Cutout	65X60mm	132X60mm	198X60mm
Size(DxH)	65X60X125mm	132X60X125mm	198X60X125mm
UGR	<19	<19	<19
CRI	≥80/≥90	≥80/≥90	≥80/≥90
Beam angle	15°/24°/38°	15°/24°/38°	15°/24°/38°
CCT	2700K/3000K/4000K/5000K	2700K/3000K/4000K/5000K	2700K/3000K/4000K/5000K
Life time	50000 h	50000 h	50000 h
IP	IP20	IP20	IP20

# Nice



Colour:



White



Black



Gold



Chrome



Silver




Optional :



Honey comb



Stripe



## T3008RT-10W-AZ / T3008RT-10W-2-AZ / T3008RT- 10W-3-AZ

Model Code	BG-T3008RT-10W-AZ	BG-T3008RT-10W-2-AZ	BG-T3008RT-10W-3-AZ
Power	10W	2X10W	3X10W
Light Source	CREE	CREE	CREE
Cutout	Ø52mm	Ø135mm	Ø147mm
Size(DxH)	Ø52X89mm	Ø135X102mm	Ø147X102mm
UGR	<19	<19	<19
CRI	≥80/≥90	≥80/≥90	≥80/≥90
Beam angle	15°/24°/38°	15°/24°/38°	15°/24°/38°
CCT	2700K/3000K/4000K/5000K	2700K/3000K/4000K/5000K	2700K/3000K/4000K/5000K
Life time	50000 h	50000 h	50000 h
IP	IP20	IP20	IP20

ZHONGSHAN BOYIN LIGHTING CO.,LTD

Contact:Simon

Mail:simon@boyinlighting.com

Whatsapp/Wechat:+86 18825396785

THANKS FOR YOUR BUSINESS!

boyin